HP P27 G5 68.6 cm (27") 1920 x 1080 pixels Full HD Black

Brand : HP

Product name : P27 G5

Product code: 64X69AA

P27 G5 FHD Monitor

HP P27 G5 68.6 cm (27") 1920 x 1080 pixels Full HD Black:

Everyday Productivity
Expand your view and your productivity with this 27-inch diagonal, FHD monitor when you're working from home or at the office. This sleek, sizeable monitor makes hybrid work easy and complete via a crisp, smooth screen and simple design, so you can do more everyday.
HP P27 G5. Display diagonal: 68.6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting. Product colour: Black

Display

Display diagonal *	68.6 cm (27")
Display resolution *	1920 x 1080 pixels
HD type *	Full HD
Native aspect ratio *	16:9
Panel type *	IPS
Touchscreen *	✖
Display brightness (typical)	250 cd/m²
Response time	5 ms
Anti-glare screen	✔
Screen shape *	Flat
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 800 (WXGA), 1400 x 900, 1600 x 900, 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080)
Contrast ratio (typical) *	1000:1
Contrast ratio (dynamic)	8000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	16.7 million colours
Pixel pitch	0.31 x 0.31 mm
Pixel density	82 ppi
Horizontal scan range	30 - 86 kHz
Vertical scan range	48 - 75 Hz
Display diagonal (metric)	68.6 cm
Surface hardness	3H
Colour depth	8 bit
RGB colour space	NTSC
Colour gamut	72%

Performance

Flicker-free technology	✔
Low Blue Light technology	✔
HP segment	Business

Ports & interfaces

HDMI ports quantity	1
HDMI version	1.4
DisplayPorts quantity	1
DisplayPort version	1.2
HDCP	✔

Ergonomics

VESA mounting *	✔
Panel mounting interface	100 x 100 mm
Cable lock slot *	✔
Tilt angle range	-5 - 20°
Tilt adjustment	✔

Power

Power consumption (typical) *	25 W
Power consumption (standby) *	0.5 W
Power consumption (max)	35 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz

Operational conditions

Operating temperature (T-T)	5 - 35 °C
Operating relative humidity (H-H)	20 - 80%

Weight & dimensions

Width (with stand)	611 mm
Depth (with stand)	190.3 mm
Height (with stand)	438.4 mm
Weight (with stand)	5.08 kg

Packaging data

Package width	611 mm
Package depth	190.3 mm
Package height	438.4 mm
Package weight	7.64 kg

Multimedia

Built-in speaker(s) *	✖
Built-in camera *	✖

Design

Market positioning *	Business
Product colour *	Black
Detachable stand	✔

Ports & interfaces

VGA (D-Sub) ports quantity	1
HDMI *	✔

Sustainability

Sustainability certificates	ENERGY STAR
Sustainable technologies and materials	Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable; 85% ITE-derived closed loop plastic; Low Halogen

Other features

Weight	5.08 kg
Height	365.5 mm
Width	611 mm
Depth	57.1 mm

||||||||| |||||||| ||||||||||| |||||

0196548138043

||||||||| |||||||||| |||||| |||||||||

196548138043

||||||||| |||||||| ||||||||||| |||||

0196548138036

||||||||| |||||||||| |||||| |||||||||

196548138036

||||||||| |||||||| ||||||||||| |||||

0196548137862

||||||||| |||||||||| |||||| |||||||||

196548137862

||||||||| |||||||| ||||||||||| |||||

0196548137879

||||||||| |||||||||| |||||| |||||||||

196548137879

||||||||| |||||||| ||||||||||| |||||

0196548137886

||||||||| |||||||||| |||||| |||||||||

196548137886

||||||||| |||||||| ||||||||||| |||||

0196548137893

||||||||| |||||||||| |||||| |||||||||

196548137893

0196548137909

196548137909

0196548137916

196548137916

0196548137930

196548137930

0196548137947

196548137947

0196548137954

196548137954

0196548137961

196548137961

||||| ||||| ||| ||| | ||| ||| |||||| | ||| |||||

0196548137978

|||||| |||| |||| ||| |||| |||| || |||| |||| |||

196548137978

||||| ||||| ||| || | |||| || ||| ||||| ||| |||||

0196548449279

||||| |||| |||| ||| |||| |||| ||| |||| |||| |||

196548449279

||| ||||| ||| | ||| ||| || ||| || |||||

0196548137985

||||| |||| |||| ||| |||| |||| ||| |||| |||| |||

196548137985

||| ||||| ||| | ||| ||| || ||| ||| |||||

0196548137992

||||| |||| |||| ||| |||| |||| ||| |||| |||| |||

196548137992

||| ||||| ||| | ||| || ||| ||| || |||

0196548138005

||||| |||| |||| ||| |||| |||| ||| |||| |||| |||

196548138005

||| ||||| || ||||| ||| ||| ||| || |

0196548449286

||||| |||| |||| ||| |||| |||| ||| |||| |||| |||

196548449286

0196548138012

196548138012

0196548138029

196548138029

0196548137855

196548137855

4573595770918