



HP P22 G4 54.6 cm (21.5") 1920 x 1080 pixels Full HD Black

Brand : HP

Product code: 1A7E4AA

Product name : P22 G4


- Navigate documents and spreadsheets and work in applications side by side on the 21.5" (54.61 cm) diagonal Full HD IPS screen with 1920 x 1080 resolution.
- Complement your workspace with a contemporary display that has a 3-sided micro-edge bezel for unlimited sightlines and virtually seamless multi-display^[1] setups.
- Quickly connect to your devices and additional displays through the HDMI, DisplayPort™, and VGA connectors.

P22 G4 22 FHD Monitor

HP P22 G4 54.6 cm (21.5") 1920 x 1080 pixels Full HD Black:

The amazingly affordable business display.

Put your content front and center on the HP P22 G4 FHD Monitor. The stylish, sleek design delivers essential presentation features, visual comfort, and advanced connectivity at a remarkable price point. HP P22 G4. Display diagonal: 54.6 cm (21.5"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting. Product colour: Black



Display		Ergonomics	
Display diagonal *	54.6 cm (21.5")	VESA mounting *	✓
Display resolution *	1920 x 1080 pixels	Panel mounting interface	100 x 100 mm
HD type *	Full HD	Height adjustment *	✗
Native aspect ratio *	16:9	Pivot	✗
Panel type *	IPS	Tilt angle range	-5 - 23°
Touchscreen *	✗	Plug and Play	✓
Display brightness (typical)	250 cd/m²	Tilt adjustment	✓
Response time	5 ms	Power	
Screen shape *	Flat	Energy efficiency class (SDR) *	E
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 768 (WXGA), 1280 x 800 (WXGA), 1366 x 768, 1440 x 900 (WXGA+), 1600 x 900, 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080)	Energy consumption (SDR) per 1000 hours *	14 kWh
		Power consumption (typical) *	19 W
Contrast ratio (typical) *	1000:1	Power consumption (standby) *	0.3 W
Contrast ratio (dynamic)	8000000:1	AC input voltage	100 - 240 V
Maximum refresh rate *	60 Hz	Operational conditions	
Viewing angle, horizontal	178°	Operating temperature (T-T)	5 - 35 °C
Viewing angle, vertical	178°	Operating relative humidity (H-H)	20 - 80%
Pixel pitch	0.247 x 0.247 mm	Weight & dimensions	
Horizontal scan range	0 - 86 kHz	Width (with stand)	497.3 mm
Vertical scan range	0 - 75 Hz	Depth (with stand)	211.6 mm
RGB colour space	NTSC	Height (with stand)	454.9 mm
Colour gamut	72%	Weight (with stand)	4.14 kg
Performance		Width (without stand)	49.7 cm
Flicker-free technology	✓	Depth (without stand)	4.59 cm
Low Blue Light technology	✓	Height (without stand)	30.1 cm
Multimedia		Packaging data	
Built-in speaker(s) *	✗	Package width	497.3 mm
		Package depth	211.6 mm
		Package height	454.9 mm

Multimedia		Packaging data	
Built-in camera *	✗	Package weight	5.65 kg
Design		Sustainability	
Market positioning *	Business	Sustainability certificates	ENERGY STAR
Product colour *	Black	Sustainable technologies and materials	Arsenic-free display glass; Low halogen; Mercury-free display backlights; TCO Certified
Ports & interfaces		Logistics data	
Built-in USB hub *	✗	Harmonized System (HS) code	85285210
VGA (D-Sub) ports quantity	1	Other features	
DVI port	✗	Weight	4.14 kg
HDMI *	✓	Height	301.1 mm
HDMI version	1.4	Width	497.3 mm
DisplayPorts quantity	1	Depth	45.9 mm
DisplayPort version	1.2		
Audio input	✗		
Headphone out *	✗		
HDCP	✓		



0195122230883



195122230883



0195122230890



195122230890




0195122230906



195122230906



0195122230715



195122230715



0195122230722



195122230722



0195122230739



195122230739



0195122230746



195122230746



0195122230753



195122230753




0195122230760



195122230760



0195122230876



195122230876



0195122230869



195122230869



0195122230852



195122230852



0195122230845



195122230845



0195122230838



195122230838



0195122230814



195122230814



0195122230807



195122230807



0195122230791



195122230791



0195122230777



195122230777



0195122230821



195122230821



4580511763763

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.