

**Series 6, free-standing fridge-freezer
with freezer at bottom, 186 x 60 cm,
Brushed steel anti-fingerprint
KGE36AICA**



Optional accessories

KSZ10010 Snackbox
KSZ10030 Bottle Rack

**The bottom freezer with VitaFresh 0 °C
Box: especially efficient - keeps your meat
and fish fresh up to twice as long.**

- **VitaFresh:** keeps food fresh for longer in climate controlled drawers at near 0°C.
- **LED lighting:** keep your groceries in perfect view.
- **BigBox drawer:** For stacking storage containers or for large frozen food items.
- **Easy Access Shelf:** pull-out glass shelf gives you better access to the contents of your fridge.
- **Low Frost:** defrost less often thanks to lower ice formation - saves work and is energy-efficient.

Technical Data

Energy Efficiency Class (Regulation (EU) 2017/1369): C
Average annual energy consumption in kilowatt hour per year
(kWh/a) (EU) 2017/1369: 149 kWh/annum
Sum of volume of frozen compartments (EU 2017/1369): 94 l
Sum of volume of chill- and unfrozen compartments (EU 2017/1369):
..... 214 l
Airborne acoustical noise emissions (EU 2017/1369):38 dB(A) re
1pW
Airborne acoustical noise emission class (EU 2017/1369): C
Built-in / Free-standing: Free-standing
Number of compressors: 1
Number of independent cooling systems: 2
Width of the appliance: 600 mm
Height: 1860 mm
Depth of the product: 650 mm
Net weight: 69.2 kg
Door panel options: Not possible
Door hinge: Right reversible
Number of Adjustable Shelves in fridge compartment: 2
Shelves for Bottles: Yes
Frost free system: Not applicable
Interior ventilator: Yes
Reversible Door Hinge: Yes
Length electrical supply cord: 240 cm
Noise level: 38 dB(A) re 1pW
Multi-Flow Air Tower: No
Fast cooling switch: Yes
: Yes
Temperature Controlled Drawer: No
Humidity Control Drawer: Yes
Number of Door Bins - Refrigerator: 3
Door bin adjustability - Refrigerator: Yes
Tilt-out door bins in fridge: Yes
Gallon Storage: Yes
Number of Gallon storage: 1
Motorized Shelf: No
Material of the shelves: Safety glass
Door opened indicator freezer: No
Automatic motor-driven ice-maker: No
Connection rating: 90 W
Fuse protection: 10 A
Voltage: 220-240 V
Frequency: 50 Hz
Storage Period in Event of Power Failure (h): 18 h
Door panel options: Not possible
Noise level: 38 dB(A) re 1pW
Energy Star Qualified: No
Required cutout/niche size for installation (in): x
Dimensions of the packed product: 75.59 x 26.49 x 30.62
Net weight: 153.000 kg



Gross weight: 165.000 lbs



**Series 6, free-standing fridge-freezer
with freezer at bottom, 186 x 60 cm,
Brushed steel anti-fingerprint
KGE36AICA**

**The bottom freezer with VitaFresh 0 °C
Box: especially efficient - keeps your meat
and fish fresh up to twice as long.**

Performance and consumption

- Energy Class EU19_EEK_D: C
- EU19_Unfrozen volume_D: 214 l
- Net Freezer Volume:
- EU19_Frozen volume_D: 94 l
- Annual Energy Consumption: EU19_Annual energy cons rd_D: 149 kWh/a
- Noise level: EU19_Noise emission_D: 38 dB

Design

- Doors Inox EasyClean, side panels Pearl grey (VZF 07127)
- Integrated vertical handle
- LED interior light in fridge section

Comfort and Safety

- Display: 7 segment electronic control
- Acoustic alarm if door left open
- Visual and acoustic warning system in case of malfunction of the freezer compartment
- Holiday mode
- Supercool function

Fridge Section

- 4 safety glass shelves of which 2 are height adjustable, 3 x EasyAccess Shelf, extendable

Freshness System

- Capacity vitaFresh near 0°C section: 22 l
- VitaFresh


Freezer Section

- LowFrost
- Vario Zone - removable glass shelves for extra space
- 3 transparent freezer drawers, including 1 BigBox

Technical Information

- Door right hinged, reversible hinging
- Height adjustable front feet, rolls in the back

**Series 6, free-standing fridge-freezer
with freezer at bottom, 186 x 60 cm,
Brushed steel anti-fingerprint
KGE36AICA**



Device name	a	b	c	d	e	f	g	h
KGV33 (inner handle)	1760	600	650	580	600	1200	650	690
KGV33 (outer handle)	1760	600	650	580	640	1200	690	690
KGV36/KGE36 (inner handle)	1860	600	650	580	600	1200	650	690
KGV36/KGE36 (outer handle)	1860	600	650	580	640	1200	690	690

Specification	
a	Height
b	Width
c	Depth with door closed, without handle and without flexible spacing piece
d	Cabinet depth without flexible spacing piece
e	Width with door opened to 90°
f	Depth with door opened, without handle and without flexible spacing piece
g	Depth with door closed, with handle and without flexible spacing piece
h	Depth with door closed, without handle and with flexible spacing piece

measurements in mm